

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing Date 03/05/2015

×

\*

**Revision Number 3** 

Revision Date 03/05/2015

Product identifier	
Trade name: Millennium One Step Green® Foamable Adhesive Part 1	
• Article number: 730684 • Relevant identified uses of the substance or mixture. Adhesive • Application of the substance / the mixture Roofing Insulation Adhesive	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Royal Adhesives &amp; Sealants, LLC</li> <li>17340 Munn Road</li> <li>Chagrin Falls, OH 44023</li> <li>Information Phone Number: 517-764-0334</li> </ul>	
<ul> <li>Information department: Environment protection department.</li> <li>Emergency telephone number: ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-741-5970 (collect calls accepted)</li> </ul>	
2 Hazard(s) identification	

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

GHS07

Acute Tox. 4	H332	Harmful if inhaled.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H335	May cause respiratory irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



• Signal word Danger • Hazard statements Harmful if inhaled. Causes skin irritation.

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

# Trade name: Millennium One Step Green® Foamable Adhesive Part 1

(Contd. of page 1)
Causes serious eye irritation. May aguag alleney an aghma annatana an breathing difficulties if inhaled
May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
May cause an anergic skin reaction. May cause respiratory irritation.
· Precautionary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wear respiratory protection.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves.
Wear eye protection / face protection.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).
If experiencing respiratory symptoms: Call a poison center/doctor.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a poison center/doctor if you feel unwell.
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 1
$3 \qquad 1 \qquad Reactivity = 1$
The substance demonstrates unusual reactivity with water.
· HMIS-ratings (scale 0 - 4)
HEALTH 3 $Health = 3$
FIRE 1 Fire = 1
PHYSICAL HAZARD 1 Physical Hazard = 1
• Other hazards
· Results of PBT and vPvB assessment
• <b>PBT:</b> Not applicable.
• <b>vPvB</b> : Not applicable.
3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Aromatic Isocyanates

\*

(Contd. on page 3)

USA

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

Trade name: Millennium One Step Green® Foamable Adhesive Part 1

		(Contd. of page 2)
· Dangerous	components:	
101-68-8	4,4'-methylenediphenyl diisocyanate	25-50%
9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	25-50%
	Polyol	25-50%
26447-40-5	methylenediphenyl diisocyanate	2.5-10%
67762-90-7	Synthetic Amorphous Silica	<i>≤</i> 1.0%

#### · Additional information:

All concentrations are in percent by weight unless the ingredient is a gas. Gas concentrations are in percent by volume. Any pigments or fillers in this product which may be considered "Hazardous" are potentially hazardous only if inhaled as an airborne dust. Exposure by these ingredients as used in sealants, putties, bedding compounds and non-sprayable products is highly unlikely. For the wording of the listed risk phrases refer to section 15.

All concentrations are in percent by weight unless the ingredient is a gas. Cas concentrations arein percent by volume.

### 4 First-aid measures

#### · Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

In case of unconsciousness place patient stably in side position for transportation. *Call a doctor immediately.* 

Overexposure, remove to fresh air and seek medical attention.

• After skin contact:

If skin becomes irritated seek medical attention.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for 20 minutes under running water. Call a Doctor immediately.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; immediately call for medical help.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture Dried solids can burn and release toxic fumes and vapors. No further relevant information available.
- Advice for firefighters • Protective equipment:

Mouth respiratory protective device.

(Contd. on page 4)

<sup>-</sup> USA

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

Trade name: Millennium One Step Green® Foamable Adhesive Part 1

(Contd. of page 3)

Protective clothing and respiratory protective device.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Keep away from ignition sources
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ \textit{surface or ground water.}$
- $\cdot$  Methods and material for containment and cleaning up:

Cover spilled material with neutralization solution (see below) and mix Wait 15 minutes. Collect material in openhead metal containers. Repeat neutralization and cleaning process until surface is decontaminated. Apply drum lid but DO NOT secure. Allow containers to vent for 72 hours to let carbon dioxide escape.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

#### · Reference to other sections

Neutralization solutions:

- 1. A mixture of 90% water. 3-8% ammonium hydroxide or concentrated ammonia, and 2% liquid detergent.
- 2. A mixture of 80% water, 20% non-ionic surfactant.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Avoid prolonged or repeated contact with skin.
- Avoid contact with eyes.

Wash thoroughly after handling.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Product reacts with water. Reaction may produce heat and/or gases. Container may rupture from gas generation in a fire situation. This reaction may be violent.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles:
- Keep containers tightly closed when not in use. Protect from atmospheric moisture.
- · Information about storage in one common storage facility: Keep away from open flames and high temperatures.

#### · Further information about storage conditions:

- Storage Temperature 32F 90F
- Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data.

(Contd. on page 5)

USA -

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

#### Trade name: Millennium One Step Green® Foamable Adhesive Part 1

(Contd. of page 4)

· Control parameters

· Components with limit values that require monitoring at the workplace:

101-68-8 4,4'-methylenediphenyl diisocyanate

PEL Ceiling limit value: 0.2 mg/m<sup>3</sup>, 0.02 ppm

REL Long-term value: 0.05 mg/m<sup>3</sup>, 0.005 ppm Ceiling limit value: 0.2\* mg/m<sup>3</sup>, 0.02\* ppm \*10-min

TLV Long-term value: 0.051 mg/m<sup>3</sup>, 0.005 ppm

#### · Additional information:

MDI products have poor warning properties, since recognition of an odor is far above the TLV. Observe OSHA regulations for respirator use (29 CFR 1910.134).

The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

• Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

Chloroprene rubber, CR Nitrile rubber, NBR Butvl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:** Face Shield Safety glasses with side shields.



Tightly sealed goggles

(Contd. on page 6)

USA

(Contd. of page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

Trade name: Millennium One Step Green® Foamable Adhesive Part 1

• **Body protection:** Apron

\*

Apron Protective work clothing

# 9 Physical and chemical properties

T.C	
• Information on basic physical and ch	emical properties
• General Information • Appearance:	
Form:	Liquid
Color:	Off White - Light Amber
· Odor:	Faint Aromatic
• Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point:	Undetermined.
Boiling.point: • Flash point:	
	$> 177 ^{\circ}C (> 351 ^{\circ}F)$
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
• Danger of explosion:	Heating may cause an explosion.
· Flammable limits:	
Lower:	% by volume = .9
Upper:	% by volume = $6.7$
· Vapor pressure:	Not determined.
· Specific gravity at 20 °C (68 °F):	1.11 g/cm <sup>3</sup> (9.263 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Reacts with water
· Partition coefficient (n-octanol/water	): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	9000 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
· Other information	No further relevant information available.
	USA

(Contd. on page 7)

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

#### Trade name: Millennium One Step Green® Foamable Adhesive Part 1

(Contd. of page 6)

### **10 Stability and reactivity**

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

Contact with moisture, other materials that react with isocyanates, or temperatures above 350F (177C), may cause polymerization.

· Possibility of hazardous reactions

Violent reaction with water at high temperatures.

May produce violent reactions with bases and numerous organic substances including alcohols and amines. MDI reacts slowly with water to form Carbon Dioxide gas. This gas can cause sealed containers to expand and possibly rupture. Contact with moisture, other materials that react with isocyanates, or temperatures above 350F, may cause polymerization.

- Conditions to avoid Exposure to high temperatures. Moisture
- · Incompatible materials:

Reacts with amines, caustic alkali solutions, alcohols, ammonia, oxidizers, acids, polyols. Reacts with water forming carbon dioxide-may rupture sealed containers if contaminated with water. May produce violent reactions with bases and numerous organic substances including alcohols and amines.

• Hazardous decomposition products:

Carbon dioxide, carbon monoxide, oxides of nitrogen, dense black smoke, hydrogen cyanide, isocyanic acid, other undeterminated compounds.

#### **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2200 mg/kg (mouse)

- · Primary irritant effect:
- on the skin:
- Skin irritant.

Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- · Sensitization:

Inhalation - Sensitization possible through inhalation.

Skin Contact - Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

...

· IARC (Inte	ernational Agency for Research on Cancer)	
101-68-8	4,4'-methylenediphenyl diisocyanate	3
9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	3
· NTP (Nati	onal Toxicology Program)	
None of the	e ingredients is listed.	
		(Contd. on page 8)
		710.1

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

Trade name: Millennium One Step Green® Foamable Adhesive Part 1

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations. Disposal must be made according to official regulations.

· Uncleaned packagings:

- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### **14 Transport information**

* *		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
		(Contd. on page 9)

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015

Trade name: Millennium One Step Green® Foamable Adhesive Part 1

	(Contd. of page 3
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
• Transport/Additional information:	MDI (CAS 101-68-8) exhibits a CERCLA RQ equal to 5,000 pounds. Quantites less than the RQ amount are not regulated in transportation.
· UN ''Model Regulation'':	-

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

101-68-8 4,4'-methylenediphenyl diisocyanate

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

• TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

## · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)		
101-68-8 4,4'-methylenediphenyl diisocya	nate	D, CBD
9016-87-9 diphenylmethanediisocyanate, is	omeres and homologues	CBD
· TLV (Threshold Limit Value established by	y ACGIH)	
None of the ingredients listed.		
· MAK (German Maximum Workplace Cond	centration)	
101-68-8 4,4'-methylenediphenyl diisocya	nate	4
9016-87-9 diphenylmethanediisocyanate,is	omeres and homologues	4
· NIOSH-Ca (National Institute for Occupat	tional Safety and Health)	
None of the ingredients is listed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal (Contd. on page 10)

Printing Date 03/05/2015

Revision Number 3

Revision Date 03/05/2015


# Trade name: Millennium One Step Green® Foamable Adhesive Part 1

(Contd. of p Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting j	10 /
the use or reliance on the information set forth in the SDS.	,
• Department issuing SDS: Environment protection department.	
• Creation Date: 07/22/2014	
• Date of preparation / last revision 03/05/2015 / 2	
• Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the	
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Acute Tox. 4: Acute toxicity, Hazard Category 4	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A	
Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	



Page 1/7

### Safety Data Sheet acc. to OSHA HCS



#### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture

(Contd. on page 2)

USA

Printing Date 12/09/2014

Revision Number 2

Revision Date 12/09/2014

Trade name: Millennium One Step Green® Foamable Adhesive Part 2

		(Contd. of page 1)
• <b>Dangerous</b> and Non-Da	components: ingerous Components:	
	Polyol	50-100%
67762-90-7	Synthetic Amorphous Silica	<i>≤</i> 2.5%
25265-71-8	oxydipropanol	<i>≤</i> 2.5%
A 1 1 1 .		

#### • Additional information:

All concentrations are in percent by weight unless the ingredient is a gas. gas concentrations are in percent by volume.

### 4 First-aid measures

#### · Description of first aid measures

- · General information: No special measures required.
- After inhalation: Overexposure, remove to fresh air and seek medical attention.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- *Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.*
- After swallowing:

*Rinse out mouth with water. Drink 1 - 2 glasses of water but DO NOT induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.* 

Seek medical treatment.

- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- Dried solids can burn and release toxic fumes and vapors. No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations.

### · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

USA

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing Date 12/09/2014

Revision Number 2

Revision Date 12/09/2014

Trade name: Millennium One Step Green® Foamable Adhesive Part 2

See Section 13 for disposal information.

### 7 Handling and storage

- · Precautions for safe handling
- Avoid prolonged or repeated contact with skin.
- Avoid contact with eyes.
- Wash thoroughly after handling.
- Open containers in a well ventilated area and avoid breathing headspace vapors.
- No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not necessary if room is well-ventilated.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses with side shields.
- Body protection: Protective work clothing

(Contd. on page 4)

US /

Printing Date 12/09/2014

\*

Revision Number 2

Revision Date 12/09/2014

Trade name: Millennium One Step Green® Foamable Adhesive Part 2

(Contd. of page 3)

Information on basic physical and c	hemical properties
General Information	
Appearance:	Linuid
Form: Color:	Liquid Amber colored
· Odor:	Polvether
· Odour threshold:	Not determined.
pH-value:	Not determined.
· Change in condition	
Melting point:	Undetermined.
Boiling point:	Undetermined.
· Flash point:	177 °C (351 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Flammable limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Specific gravity at 20 °C (68 °F):	0.98 g/cm <sup>3</sup> (8.178 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not soluble
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic at 20 $\bullet C$ (68 $\bullet F$ ):	9000 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
• Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity

\*

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Exposure to high temperatures.
- · Incompatible materials: Reacts with oxidizing agents.

(Contd. on page 5)

USA

Printing Date 12/09/2014

Revision Number 2

Revision Date 12/09/2014

Trade name: Millennium One Step Green® Foamable Adhesive Part 2

(Contd. of page 4)

• *Hazardous decomposition products:* Carbon monoxide and carbon dioxide tin oxide

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

• on the skin: Skin irritant.

 $\cdot$  on the eye: May irritate the eye.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste. Must be specially treated adhering to official regulations. Disposal must be made according to official regulations.

(Contd. on page 6)

USA

Printing Date 12/09/2014

\*

Revision Number 2

Revision Date 12/09/2014

Trade name: Millennium One Step Green® Foamable Adhesive Part 2

(Contd. of page 5)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

· UN-Number · DOT, ADR, ADN, IMDG, IATA	not regulated	
	noi reguiatea	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
· Class	not regulated	
Packing group		
DOT, ÅDR, İMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 7)

USA –

Printing Date 12/09/2014

Revision Number 2

Revision Date 12/09/2014

Trade name: Millennium One Step Green® Foamable Adhesive Part 2

(Contd. of page 6)

 $\cdot$  TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

· Creation Date: 07/22/2014

• Date of preparation / last revision 12/09/2014 / 1

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)