



# DECLARATION OF PERFORMANCE

No. KA-PT-DXM-13

1. Unique identification code of the product-type:

**DONN product type → Appendix 1**

2. Intended use/es:

**Suspended ceiling substructure component for use internally in buildings**

3. Manufacturer:

**Knauf AMF GmbH & Co. KG; Elsenthal 15, 94481 Grafenau, Germany  
+49 8552 422 - 0, +49 8552 422 - 331, info@knaufamf.de**

4. Authorised representative:

**Not applicable.**

5. System/s of AVCP:

**System 4**

6a. Harmonised standard:

**EN 13964:2014**

Notified body/ies:

**Not applicable.**

6b. European Assessment Document:

**Not applicable.**

7. Declared performance/s:

Essential characteristics	Declared performance	Harmonised technical specification
Reaction to fire	A1	EN 13964:2014
Release and/or content of dangerous substances	no release	
Loadbearing capacity - Load bearing performance	see technical data sheet → Appendix 1	
- Dimensions and tolerances	according to EN 13964:2014, Tab. 1	
Resistance to fixing	NPD*	
Durability	B	

\*No Performance Determined

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

**Not applicable.**



The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Director Research & Development:

A handwritten signature in black ink, appearing to read 'Schiedeck'.

Elsenthal, 22.02.2017

ppa. Andreas Schiedeck

### Appendix 1

Load bearing performance				
	Class	Test span (mm)	$EI$ (Nm <sup>2</sup> )	$admM$ (Nmm)
<b>DXM... (cross tee 0.4mm)</b>	1	1.000 / 1.200	1.150	20.500
<b>DXM...(0.5mm)</b>	1	1.000 / 2.000	1.450	12.000