

## Leistungserklärung

gemäß Anhang III der Verordnung (EU) Nr. 305/2011 Bauproduktenverordnung

Produktbezeichnung

Ravenit Elastic 2

Kenncode des Produkttyps  
DoP Nr.

46450/V.0005

Verwendungszweck

Beschichtung für den Schutz und die Instandsetzung von Betontragwerken, Oberflächenschutzsystem für Beton. Schutz gegen das Eindringen von Stoffen (1.3); Regulierung des Feuchtehaushaltes (2.2); Erhöhung des elektrischen Widerstandes (8.2).

Hersteller

Avenarius-Agro GmbH  
4600 Wels, Industriestraße 51

System(e) zur Bewertung und Überprüfung  
der Leistungsbeständigkeit

System 2+ (für Verwendungszwecke in Gebäuden und ingenieurtechnischen Bauwerken) System 3 (für Verwendungszwecke, die Vorschriften zum Brandverhalten unterliegen)

Harmonisierte Norm

EN 1504-2:2004

Notifizierte Stelle

Wien-Zert, Kennnummer 1139; Firelabs, Kennnummer 1507

Erklärte Leistung

EN 1504-2:2004 ZA.1D		
Wesentliche Merkmale	Leistung	harmonisierte technische Spezifikation
Lineares Schrumpfen (sofern zutreffend)	NPD	EN 1504-2:2004
Wärmeausdehnungskoeffizient (sofern zutreffend)	NPD	EN 1504-2:2004
Gitterschnitt (sofern zutreffend)	NPD	EN 1504-2:2004
CO <sub>2</sub> Durchlässigkeit SD	≥ 50m	EN 1504-2:2004
Wasserdampfdurchlässigkeit	≤ 5m	EN 1504-2:2004
Kapillare Wasseraufnahme und Wasser-Durchlässigkeit	≤ 0,1 kg*m <sup>-2</sup> *h <sup>-0,5</sup>	EN 1504-2:2004
Temperaturwechselverträglichkeit (sofern zutreffend)	NPD	EN 1504-2:2004
Widerstandsfähigkeit gegen Temperaturschock (sofern zutreffend)	NPD	EN 1504-2:2004
Widerstandsfähigkeit gegen Chemikalien (sofern zutreffend)	NPD	EN 1504-2:2004
Rissüberbrückungsfähigkeit (sofern zutreffend)	bei -15 Grad Celsius: ≥ 0,5 mm = Klasse A3	EN 1504-2:2004
Abreißversuch zur Beurteilung der Haftfestigkeit	≥ 0,8 MPa	EN 1504-2:2004
Brandverhalten	Euroklasse C – s2, d0	EN 1504-2:2004
Griffigkeit (sofern zutreffend)	NPD	EN 1504-2:2004
Künstliche Bewitterung (sofern zutreffend)	NPD	EN 1504-2:2004
Antistatisches Verhalten (sofern zutreffend)	NPD	EN 1504-2:2004
Haftfestigkeit auf nassem Beton (sofern zutreffend)	NPD	EN 1504-2:2004
Gefährliche Stoffe	Übereinstimmung mit 5.3	EN 1504-2:2004

EN 1504-2:2004 ZA.1E		
Wesentliche Merkmale	Leistung	harmonisierte technische Spezifikation
Lineares Schrumpfen (sofern zutreffend)	NPD	EN 1504-2:2004
Wärmeausdehnungskoeffizient (sofern zutreffend)	NPD	EN 1504-2:2004
Gitterschnitt (sofern zutreffend)	NPD	EN 1504-2:2004

Wasserdampfdurchlässigkeit	$\leq 5 \text{ m}$	EN 1504-2:2004
Kapillare Wasseraufnahme und Wasser-Durchlässigkeit	$\leq 0,1 \text{ kg} \cdot \text{m}^{-2} \cdot \text{h}^{-0,5}$	EN 1504-2:2004
Temperaturwechselverträglichkeit (sofern zutreffend)	NPD	EN 1504-2:2004
Rissüberbrückungsfähigkeit (sofern zutreffend)	bei $-15 \text{ Grad Celsius}$ : $\geq 0,5 \text{ mm}$ = Klasse A3	EN 1504-2:2004
Abreißversuch zur Beurteilung der Haftfestigkeit	$\geq 0,8 \text{ MPa}$	EN 1504-2:2004
Brandverhalten	Euroklasse C – s2, d0	EN 1504-2:2004
Griffigkeit (sofern zutreffend)	NPD	EN 1504-2:2004
Künstliche Bewitterung (sofern zutreffend)	NPD	EN 1504-2:2004
Antistatisches Verhalten (sofern zutreffend)	NPD	EN 1504-2:2004
Haftfestigkeit auf nassem Beton (sofern zutreffend)	NPD	EN 1504-2:2004
Gefährliche Stoffe	Übereinstimmung mit 5.3	EN 1504-2:2004

Die Leistung von Ravenit Elastic 2 entspricht der Leistung nach obiger Tabelle. Ort: Wels  
 Ausstellungsdatum: 18.12.2015 Dieses Schreiben wurde maschinell erstellt und ist auch ohne Unterschrift gültig. (die Geschäftsleitung)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Ravenit Elastic 2 Teil A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Water-borne coatings

Recommended restrictions  
on use : within adequate application - none

### 1.3 Details of the supplier of the safety data sheet

Company : Avenarius-Agro GmbH  
Industriestraße 51  
4600 Wels  
Telephone : +4372424890  
Telefax : +437242489449

Website :  
E-mail address Responsible/issuing person : sdb@avenariusagro.at

### 1.4 Emergency telephone

Emergency telephone 1 : Vergiftungsinformationszentrale Österreich 01 406 43 43

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

Hazard pictograms

:



Signal Word

:

Warning

Hazard Statements

:

H317 May cause an allergic skin reaction.

Precautionary Statements

:

### Prevention:

P261 Avoid breathing mist or vapors.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/ eye protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Hazardous ingredients which must be listed on the label:

2-methylisothiazol-3(2H)-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one  
(3:1)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

bronopol (INN)	52-51-7 200-143-0 603-085-00-8 01-2119980938-15	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	$\geq 0,025 - < 0,1$
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 $\geq 0,0015 \%$	$\geq 0,0025 - < 0,025$
pyrithione zinc	13463-41-7 236-671-3 613-333-00-7 01-2119511196-46	Acute Tox. 3; H301 Acute Tox. 2; H330 Eye Dam. 1; H318 Repr. 1B; H360D STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 0,0025 - < 0,025$

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

		<div>M-Factor (Acute aquatic toxicity): 1.000</div> <div>M-Factor (Chronic aquatic toxicity): 10</div> <div>Acute toxicity estimate</div> <div>Acute oral toxicity: 221 mg/kg</div> <div>Acute inhalation toxicity (dust/mist): 0,14 mg/l</div>	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5 01-2120764691-48	<div>Acute Tox. 3; H301</div> <div>Acute Tox. 2; H330</div> <div>Acute Tox. 2; H310</div> <div>Skin Corr. 1C; H314</div> <div>Eye Dam. 1; H318</div> <div>Skin Sens. 1A; H317</div> <div>Aquatic Acute 1; H400</div> <div>Aquatic Chronic 1; H410</div> <div>EUH071</div> <div>M-Factor (Acute aquatic toxicity): 100</div> <div>M-Factor (Chronic aquatic toxicity): 100</div> <div>specific concentration limit</div> <div>Skin Corr. 1C; H314</div> <div><math>\geq 0,6 \%</math></div> <div>Skin Irrit. 2; H315</div> <div><math>0,06 - &lt; 0,6 \%</math></div> <div>Eye Irrit. 2; H319</div> <div><math>0,06 - &lt; 0,6 \%</math></div> <div>Skin Sens. 1A; H317</div> <div><math>\geq 0,0015 \%</math></div> <div>Eye Dam. 1; H318</div> <div><math>\geq 0,6 \%</math></div>	$\geq 0,0002 - < 0,0015$

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

- |                         |  |
|-------------------------|--|
| General advice          | : Never give anything by mouth to an unconscious person.<br>If you feel unwell, seek medical advice (show the label where possible).<br>Move out of dangerous area.<br>First aider needs to protect himself. |
| If inhaled              | : Move to fresh air.   |
| In case of skin contact | : Do NOT use solvents or thinners.<br>In case of contact, immediately flush skin with soap and plenty of water.  |
| In case of eye contact  | : If eye irritation persists: Get medical advice/ attention.<br>IF IN EYES: Rinse cautiously with water for several minutes.<br>Remove contact lenses, if present and easy to do. Continue rinsing.          |
| If swallowed            | : Seek medical advice.<br>Clean mouth with water and drink afterwards plenty of water.<br>If swallowed, DO NOT induce vomiting.  |

### 4.2 Most important symptoms and effects, both acute and delayed

- |       |  |
|-------|--|
| Risks | : May cause an allergic skin reaction. |
|-------|--|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |                             |
|-----------|-----------------------------|
| Treatment | : No information available. |
|-----------|-----------------------------|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Do not use a solid water stream as it may scatter and spread fire. |
| Unsuitable extinguishing media | : None known.   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : In case of fire hazardous decomposition products may be produced such as:  
Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.  
The product itself does not burn.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use protective shoes or boots with rough rubber sole.  
Material can create slippery conditions.  
Do not get in eyes, on skin, or on clothing.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.  
Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.  
, For personal protection see section 8., For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
No special technical protective measures required.

The current technical information on [www.avenariusagro.at](http://www.avenariusagro.at)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

must be observed.

Hygiene measures : Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline materials.

### 7.3 Specific end use(s)

Specific use(s) : This information is not available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	MAK-TMW	0,05 mg/m <sup>3</sup>	AT OEL
Further information: Danger of sensitization of the skin				

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
bronopol (INN)	Consumers	Skin contact	Acute systemic effects	4,20 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	1,40 mg/kg bw/day
	Consumers	Inhalation	Acute systemic effects	3,70 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term local effects	8,00 µg/cm <sup>2</sup>
	Consumers	Ingestion	Acute systemic effects	1,10 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version 1.0      Revision Date: 22.11.2023      SDS Number: 6023472      Date of last issue: -  
Date of first issue: 22.11.2023

			fects	bw/day
	Consumers	Skin contact	Acute local effects	8,00 µg/cm <sup>2</sup>
	Consumers	Inhalation	Long-term systemic effects	1,20 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute local effects	1,30 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	1,30 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	0,35 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	12,30 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	4,20 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	4,10 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	4,20 mg/m <sup>3</sup>
	Workers	Skin contact	Acute systemic effects	7,00 mg/kg bw/day
	Workers	Skin contact	Acute local effects	13,00 µg/cm <sup>2</sup>
	Workers	Skin contact	Long-term systemic effects	2,30 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	13,00 µg/cm <sup>2</sup>
pyrithione zinc	Workers	Skin contact	Long-term systemic effects	0,01 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bronopol (INN)	Sea sediment	0,00328 mg/kg dry weight (d.w.)
	Fresh water sediment	0,041 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,43 mg/l
	Soil	0,5 mg/kg dry weight (d.w.)
	Intermittent use/release	0,0025 mg/l
	Sea water	0,0008 mg/l
	Fresh water	0,01 mg/l
pyrithione zinc	Sea sediment	0,0095 mg/kg dry weight (d.w.)
	Fresh water sediment	0,0095 mg/kg dry weight (d.w.)
	Soil	1,02 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,01 mg/l

## 8.2 Exposure controls

### Personal protective equipment

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

Eye/face protection	:	Goggles
Hand protection	:	
Material	:	Nitrile rubber
Glove thickness	:	0,2 mm
Protective index	:	Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374.
Skin and body protection	:	Safety shoes Long sleeved clothing  Choose body protection according to the amount and concentration of the dangerous substance at the work place.  Skin should be washed after contact.  Remove and wash contaminated clothing before re-use. During spray application: impervious clothing
Respiratory protection	:	No personal respiratory protective equipment normally required.  During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

Lower explosion limit / Lower flammability limit : not determined

Flash point : Not applicable

Autoignition temperature : not determined

Decomposition temperature : Not applicable

pH : 8 - 9  
Concentration: 100 %

Viscosity  
Viscosity, dynamic : No data available

Solubility(ies)  
Water solubility : completely miscible

Partition coefficient: n-octanol/water : Not applicable

Vapor pressure : ca. 23,4 hPa (20 °C)

Relative density : not determined

Density : 1,0400 g/cm<sup>3</sup>

Relative vapor density : Not applicable

### 9.2 Other information

Explosives : Not applicable

Oxidizing properties : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

Flammability (liquids) : The product is not flammable.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

### 10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases.  
Incompatible with oxidizing agents.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

##### bronopol (INN):

Acute oral toxicity : LD50 Oral (Rat): 305 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

##### 2-methylisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 120 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,145 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

### pyrithione zinc:

Acute oral toxicity : Acute toxicity estimate: 221 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0,14 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity : LD50 (Rat): 66 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 0,17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 141 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### pyrithione zinc:

Assessment : Risk of serious damage to eyes.

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Components:**

##### **bronopol (INN):**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

##### **2-methylisothiazol-3(2H)-one:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

##### **pyrithione zinc:**

M-Factor (Acute aquatic toxicity) : 1.000

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

icity)

M-Factor (Chronic aquatic toxicity) : 10

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

### Components:

#### bronopol (INN):

Partition coefficient: n-octanol/water : log Pow: 0,15 (23 °C)  
pH: 4,9

#### 2-methylisothiazol-3(2H)-one:

Partition coefficient: n-octanol/water : log Pow: -0,486 (25 °C)  
pH: 7

#### pyrithione zinc:

Partition coefficient: n-octanol/water : log Pow: 0,9 (25 °C)  
pH: 7,5 - 7,7

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-octanol/water : log Pow: <= 0,75  
Method: OECD Test Guideline 117

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recycling.

Waste Code : used product  
080112, waste paint and varnish other than those mentioned in 08 01 11\*

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

### 14.4 Packing group

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks	: Not classified as dangerous in the meaning of transport regulations.
---------	--

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 3
--	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

pyrithione zinc (Number on list 30)  
formaldehyde (Number on list 72,  
28)

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be generated.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : None

Fire Hazard Class : Exempt

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

Water hazard class (Germany) : WGK 2 obviously hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

. : BSW20 Coating materials, water-based

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: < 0,01 %

Volatile organic compounds : Directive 2004/42/EC  
< 0.1 %  
< 1 g/l

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

## SECTION 16: Other information

### Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H311	: Toxic in contact with skin.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H335	: May cause respiratory irritation.
H360D	: May damage the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
AT OEL	: Austria. Limit values regulation - Annex I: Substance list
AT OEL / MAK-TMW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs.

Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

#### Classification of the mixture:

Skin Sens. 1

H317

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023472	Date of first issue: 22.11.2023

### REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our up-stream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

AT / EN

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Ravenit Elastic 2 Teil B

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Cement

Recommended restrictions : within adequate application - none  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : Avenarius-Agro GmbH  
Industriestraße 51  
4600 Wels  
Telephone : +4372424890  
Telefax : +437242489449

Website :  
E-mail address Responsible/issuing person : sdb@avenariusagro.at

### 1.4 Emergency telephone

Emergency telephone 1 : Vergiftungsinformationszentrale Österreich 01 406 43 43

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single exposure, Category 3, Respiratory system H335: May cause respiratory irritation.

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

Precautionary Statements : **Prevention:**  
P260 Do not breathe dusts or mists.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

### Hazardous ingredients which must be listed on the label:

Cement, portland, chemicals  
calcium sulfoaluminate clinker  
Flue dust, portland cement

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product contains chromate reducers, as a result of which the water-soluble chromium (VI) content is less than 0,0002%. In the event of incorrect storage (ingress of moisture) or overlong storage, the chromate reducers contained in the product can lose their efficacy and a sensitising effect of the cement / binding agent may occur in the event of contact with the skin (H317 or EUH203).



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Sens. 1; H317 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	$\geq 20$ - $< 30$
calcium sulfoaluminate clinker	Not Assigned 934-133-9	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	$\geq 1$ - $< 3$
Flue dust, portland cement	68475-76-3 270-659-9 01-2119486767-17	Skin Sens. 1; H317 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	$\geq 1$ - $< 3$
Substances with a workplace exposure limit :			
Quartz (SiO <sub>2</sub> )	14808-60-7 238-878-4 01-2120770509-45		$\geq 30$ - $< 50$

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
First aider needs to protect himself.  
Never give anything by mouth to an unconscious person.
- If inhaled : If symptoms persist, call a physician.  
If breathed in, move person into fresh air.
- In case of skin contact : If symptoms persist, call a physician.  
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
- In case of eye contact : If eye irritation persists: Get medical advice/ attention.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

rinsing.

If swallowed : Seek medical advice.  
Clean mouth with water and drink afterwards plenty of water.  
If swallowed, DO NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Eye contact with the powder (dry or wet) may cause serious and potentially irreversible injuries.  
The powder (combined with perspiration) can form an alkaline solution. That may cause skin irritation.

Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Show this material safety data sheet to the doctor in attendance.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Not combustible.  
Do not use a solid water stream as it may scatter and spread fire.

Unsuitable extinguishing media : Not applicable

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Even diluted mixed products containing cement can cause irritation.  
Aqueous cement suspensions have an alkaline effect.

### 5.3 Advice for firefighters

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
The product itself does not burn.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.  
Avoid dust formation.

#### 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform  
respective authorities.  
Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled product while avoiding dust formation and dis-  
pose of it as described in Section 13.

Prevent dust from forming and collect any dust mechanically.

#### 6.4 Reference to other sections

For personal protection see section 8., For further information see Section 7 of the safety data sheet.  
, For disposal considerations see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Even diluted mixed products containing cement can cause  
irritation.  
Avoid contact with skin and eyes.  
Avoid creating dust.

The current technical information on [www.avenariusagro.at](http://www.avenariusagro.at)  
must be observed.

Advice on protection against : The product is not flammable.  
fire and explosion

Hygiene measures : Wash hands before eating, drinking, or smoking. Do not eat,  
drink or smoke when using this product. Remove contaminat-  
ed clothing and protective equipment before entering eating  
areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Observe label precautions. Keep in a dry, cool place.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

areas and containers

Advice on common storage : Never allow product to get in contact with water during storage.  
Do not store together with acids and ammonium salts.

Further information on storage stability : Aqueous cement suspensions have an alkaline effect.

### 7.3 Specific end use(s)

Specific use(s) : This information is not available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Quartz (SiO <sub>2</sub> )	14808-60-7	MAK-TMW (Alveolar dust fraction)	0,05 mg/m <sup>3</sup>	AT OEL
		TWA (Respirable dust)	0,1 mg/m <sup>3</sup>	2004/37/EC
Further information: Carcinogens or mutagens				
Cement, portland, chemicals	65997-15-1	MAK-TMW (inhalable dust)	5 mg/m <sup>3</sup>	AT OEL
Flue dust, portland cement	68475-76-3	MAK-TMW (inhalable dust)	5 mg/m <sup>3</sup>	AT OEL

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
Flue dust, portland cement	Consumers	Inhalation	Acute local effects	4,00 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	1,00 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	4,00 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	1,00 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
glass, oxide, chemicals	Fresh water sediment	174 mg/kg dry weight (d.w.)
	Secondary Poisoning	10,9 mg/kg food
	Sea water	3,4 µg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

	Sewage treatment plant	100 µg/l
	Sea sediment	164 mg/kg dry weight (d.w.)
	Soil	147 mg/kg dry weight (d.w.)
	Fresh water	6,5 µg/l
Flue dust, portland cement	Sea water	3 µg/l
	Fresh water sediment	875
	Sea sediment	88
	Intermittent use/release	282 µg/l
	Soil	5 mg/kg dry weight (d.w.)
	Fresh water	28 µg/l
	Sewage treatment plant	6 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : If dust develops or there is a danger of splashing, use protective goggles with side protection.

Goggles

#### Hand protection

Material	: nitrile coated cotton gloves
Break through time	: > 480 min
Glove thickness	: 0,8 mm
Protective index	: Class 6

Remarks : Keep a spare pair of gloves handy. If the chemical has soaked through to the skin, the gloves must be removed and disposed.

Skin and body protection : Remove and wash contaminated clothing before re-use. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Safety shoes  
Long sleeved clothing

Skin should be washed after contact.

Respiratory protection : Do not breathe dust.  
Breathing apparatus only if aerosol or dust is formed.

Filter type : Half mask with a particle filter P2 (EN 143)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: powder
Color	: white
Odor	: cement-like
Odor Threshold	: Not relevant
Melting point/freezing point	: Not applicable
Boiling point/boiling range	: Not applicable
Flammability	: The product is not flammable.
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: Not applicable
Autoignition temperature	: not determined
Decomposition temperature	: Not applicable
pH	: 11 - 13 Concentration: 10 % in contact with water
Viscosity Viscosity, dynamic	: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

Solubility(ies)  
Water solubility : insoluble

Partition coefficient: n-  
octanol/water : not determined

Vapor pressure : not determined

Relative density : not determined

Relative vapor density : not determined

### 9.2 Other information

Explosives : Not applicable

Oxidizing properties : Not applicable

Self-ignition : Not applicable

Evaporation rate : Not applicable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Exposure to air or moisture over prolonged periods.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

### 10.5 Incompatible materials

Materials to avoid : humid air and water  
Aluminum  
Acids  
Ammonium salts

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Result : Skin irritation

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified based on available information.

##### Respiratory sensitization

Not classified based on available information.

##### Germ cell mutagenicity

Not classified based on available information.

##### Carcinogenicity

Not classified based on available information.

##### Reproductive toxicity

Not classified based on available information.

##### STOT-single exposure

May cause respiratory irritation.

##### STOT-repeated exposure

Not classified based on available information.

##### Aspiration toxicity

Not classified based on available information.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : Can be landfilled after concentration, when in compliance with local regulations.
- Waste should not be disposed of via wastewater.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
- Waste Code : used product  
170904, mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
- unused product  
170903\*, other construction and demolition wastes (including mixed wastes) containing dangerous substances

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- ADN : Not regulated as a dangerous good
- ADR : Not regulated as a dangerous good
- RID : Not regulated as a dangerous good
- IMDG : Not regulated as a dangerous good
- IATA : UN 3335

#### 14.2 UN proper shipping name

- ADN : Not regulated as a dangerous good
- ADR : Not regulated as a dangerous good
- RID : Not regulated as a dangerous good
- IMDG : Not regulated as a dangerous good
- IATA : Aviation regulated solid, n.o.s.  
(Cement, portland, chemicals, calcium sulfoaluminate clinker)

#### 14.3 Transport hazard class(es)

- ADN : Not regulated as a dangerous good
- ADR : Not regulated as a dangerous good
- RID : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

<b>IMDG</b>	:	Not regulated as a dangerous good
		Class                      Subsidiary risks
<b>IATA</b>	:	9

### 14.4 Packing group

<b>ADN</b>	:	Not regulated as a dangerous good
<b>ADR</b>	:	Not regulated as a dangerous good
<b>RID</b>	:	Not regulated as a dangerous good
<b>IMDG</b>	:	Not regulated as a dangerous good

#### IATA (Cargo)

Packing instruction (cargo aircraft)	:	956
Packing instruction (LQ)	:	Y956
Packing group	:	III
Labels	:	Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft)	:	956
Packing instruction (LQ)	:	Y956
Packing group	:	III
Labels	:	Miscellaneous

### 14.5 Environmental hazards

<b>ADN</b>	:	Not regulated as a dangerous good
<b>ADR</b>	:	Not regulated as a dangerous good
<b>RID</b>	:	Not regulated as a dangerous good
<b>IMDG</b>	:	Not regulated as a dangerous good

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on	:	Not applicable
---	---	----------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

the market and use of certain dangerous substances,  
mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be generated.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : None

Fire Hazard Class : n.a.: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water hazard class (Germany) : WGK 1 slightly water endangering  
Classification according to AwSV, Annex 1 (5.2)

. : ZP1 Products containing cement, low in chromate

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

Volatile organic compounds : Directive 2004/42/EC  
< 1 %  
< 10 g/l

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

### SECTION 16: Other information

#### Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H335	: May cause respiratory irritation.

#### Full text of other abbreviations

Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
AT OEL	: Austria. Limit values regulation - Annex I: Substance list
2004/37/EC / TWA	: Long term exposure limit
AT OEL / MAK-TMW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

##### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended  
by Commission Regulation (EU) 2020/878



AT / EN

## Ravenit Elastic 2 Teil B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	6023204	Date of first issue: 22.11.2023

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH  
NIOSH - Registry of toxic effects of chemical substances  
ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities  
SAX'S - Dangerous properties of industrial materials  
GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)  
Toxnet - Toxicology Data Network

### Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
STOT SE 3	H335

### Classification procedure:

Based on product data or assessment  
Based on product data or assessment  
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.  
Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

AT / EN