according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : VERDÜNNUNG 202

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Thinner, Diluent

stance/Mixture

Recommended restrictions

on use

within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Avenarius-Agro GmbH

Industriestraße 51

4600 Wels

Telephone : +4372424890 Telefax : +437242489449

Website

E-mail address Responsi-

ble/issuing person

sdb@avenariusagro.at

1.4 Emergency telephone

Emergency telephone 1 : Vergiftungsinformationszentrale Österreich 01 406 43 43

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapor.

Acute toxicity, Category 4 H332: Harmful if inhaled.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

VER	<b>PDU</b>	INI	IUI	NG	202

SDS Number: Date of last issue: -Version Revision Date:

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Specific target organ toxicity - single ex-

posure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through pro-

longed or repeated exposure.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word Danger

**Hazard Statements** H226 Flammable liquid and vapor.

> H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. May cause drowsiness or dizziness. H336

Suspected of causing cancer. H351

H373 May cause damage to organs through prolonged or

repeated exposure.

Toxic to aquatic life with long lasting effects. H411

**Prevention: Precautionary Statements** 

> P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P260 Do not breathe vapours/ spray.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.

Avoid release to the environment. P273

Wear protective gloves/ protective clothing/ eye protec-P280

tion/ face protection.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

VERDÜNNUNG 202VersionRevision Date:SDS Number:Date of last issue: -1.024.08.20236021915Date of first issue: 24.08.2023

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

## Hazardous ingredients which must be listed on the label:

xvlene

Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics 4-methylpentan-2-one

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
xylene	1330-20-7 215-535-7 601-022-00-9 01-2119488216-32	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Asp. Tox. 1; H304 STOT RE 2; H373	>= 50 - < 70
Aromatic hydrocarbons, C9; Al- kylbenzenes; C9-aromatics	128601-23-0 01-2119455851-35	Flam. Liq. 3; H226 STOT SE 3; H336 STOT SE 3; H335 Asp. Tox. 1; H304 Aquatic Chronic 2;	>= 30 - < 50

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

VERDÜNNUNG 202			
Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.08.2023	6021915	Date of first issue: 24.08.2023

		H411 EUH066	
4-methylpentan-2-one	108-10-1 203-550-1 606-004-00-4 01-2119473980-30	Flam. Liq. 2; H225 Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 STOT SE 3; H336 Carc. 2; H351 EUH066	>= 1 - < 10
		Acute toxicity esti- mate	
		Acute inhalation toxicity (vapor): 11 mg/l	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.

If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area. First aider needs to protect himself.

If inhaled : Call a physician.

If breathing is irregular or stopped, administer artificial respira-

tion.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

Move to fresh air.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Take off all contaminated clothing immediately.

In case of eye contact : If eye irritation persists: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If swallowed : Aspiration may cause pulmonary edema and pneumonitis.

Take victim immediately to hospital.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

If swallowed, DO NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

Harmful if inhaled.

May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer.

May cause damage to organs through prolonged or repeated

exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

: In case of fire hazardous decomposition products may be

produced such as:

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

## 5.3 Advice for firefighters

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use water spray to cool unopened containers.

Standard procedure for chemical fires.

In the event of fire and/or explosion do not breathe fumes.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not get in eyes, on skin, or on clothing.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Ensure adequate ventilation. Remove all sources of ignition.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Avoid exceeding the given occupational exposure limits (see

section 8).

Provide sufficient air exchange and/or exhaust in work rooms.

The current technical information on www.avenariusagro.at

must be observed.

Advice on protection against

fire and explosion

Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Vapors are heavier than air and may spread along floors. Vapors may form explosive mix-

tures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Keep working clothes separately. Remove and wash contami-

nated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove con-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

VERDÜNNUNG 202VersionRevision Date:SDS Number:Date of last issue: -1.024.08.20236021915Date of first issue: 24.08.2023

taminated clothing and protective equipment before entering eating areas.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Take measures to prevent the build up of electrostatic charge. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Specific use(s) : This information is not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
xylene	1330-20-7	TWA	50 ppm 221 mg/m3	2000/39/EC	
	Further inform skin, Indicativ		possibility of significant uptak	ce through the	
		STEL	100 ppm 442 mg/m3	2000/39/EC	
	Further inform skin, Indicativ		possibility of significant uptak	ce through the	
		MAK-TMW	50 ppm 221 mg/m3	AT OEL	
		MAK-KZW	100 ppm 442 mg/m3	AT OEL	
4-methylpentan-2- one	108-10-1	TWA	20 ppm 83 mg/m3	2000/39/EC	
	Further information: Indicative			•	
		STEL	50 ppm 208 mg/m3	2000/39/EC	
	Further information: Indicative				
		MAK-TMW	20 ppm 83 mg/m3	AT OEL	
	Further information: Risk of skin absorption				
		MAK-KZW	50 ppm 208 mg/m3	AT OEL	
Further information: Risk of skin absorption					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

# **VERDÜNNUNG 202**

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

## **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
xylene	1330-20-7	methyl hippuric acid: 1,5 g/l (Urine)	At the end of a work week / at the end of a work day / at the end of a shift	VGÜ2014
		xylene: 1 mg/l (Blood)	End of workday	VGÜ2014

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health effects	Value
xylene	Consumers	Inhalation	Acute local effects	174,00 mg/m3
	Consumers	Skin contact	Long-term systemic effects	108,00 mg/kg bw/day
	Consumers	Inhalation	Acute systemic effects	174,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	1,60 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	14,80 mg/m3
	Workers	Inhalation	Acute systemic effects	289,00 mg/m3
	Workers	Inhalation	Acute local effects	289,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	77,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	180,00 mg/kg bw/day
4-methylpentan-2-one	Consumers	Ingestion	Long-term systemic effects	4,20 mg/kg bw/day
	Consumers	Inhalation	Acute local effects	155,20 mg/m3
	Consumers	Inhalation	Acute systemic effects	155,20 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4,20 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	14,70 mg/m3
	Consumers	Inhalation	Long-term systemic effects	14,70 mg/m3
	Workers	Inhalation	Acute systemic effects	208,00 mg/m3
	Workers	Inhalation	Acute local effects	208,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	83,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	83,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	11,80 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
xylene	Fresh water	0,327 mg/l
	Intermittent use/release	0,327 mg/l
	Soil	2,31 mg/kg dry
		weight (d.w.)
	Fresh water sediment	12,46 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	6,58 mg/l
	Sea water	0,327 mg/l
	Sea sediment	12,46 mg/kg dry
		weight (d.w.)
4-methylpentan-2-one	Sewage treatment plant	27,5 mg/l
	Fresh water	0,6 mg/l
	Intermittent use/release	1,5 mg/l
	Sea water	0,06 mg/l
	Soil	1,3 mg/kg dry
		weight (d.w.)
	Fresh water sediment	8,27 mg/kg dry
		weight (d.w.)
	Sea sediment	0,83 mg/kg dry
		weight (d.w.)

### 8.2 Exposure controls

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : butyl-rubber
Glove thickness : 0,3 mm
Protective index : Class 3

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Wear suita-

ble gloves tested to EN374.

Skin and body protection : Safety shoes

Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

Remove and wash contaminated clothing before re-use.

During spray application: impervious clothing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Respiratory protection : During spray application: Do not breathe spray dust. Use

A2/P2 combination filter for paint spraying.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : colorless

Odor : solvent

Odor Threshold : Not relevant

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : 28 °C

Autoignition temperature : not determined

Decomposition temperature : Not applicable

pH : 6,95

Concentration: 10 %

Viscosity

Viscosity, dynamic : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Solubility(ies)

Water solubility : partly miscible

Partition coefficient: n-

octanol/water

: not determined

Vapor pressure : not determined

Relative density : not determined

Density : 0,866 g/cm3

Relative vapor density : Heavier than air.

9.2 Other information

Explosives : Not applicable

Oxidizing properties : Not applicable

Flammability (liquids) : Sustains combustion

Evaporation rate : not determined

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

## 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapors may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

10.5 Incompatible materials

Materials to avoid : Acids

Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information** 

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

Harmful if inhaled.

**Product:** 

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

**Components:** 

xylene:

Acute inhalation toxicity : LC50 (Rat): 5000 ppm

Exposure time: 4 h Test atmosphere: gas

4-methylpentan-2-one:

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Test atmosphere: vapor

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

## **VERDÜNNUNG 202**

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Suspected of causing cancer.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

May cause drowsiness or dizziness.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## **Aspiration toxicity**

May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### **Components:**

xylene:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Partition coefficient: n- : log Pow: ca. 3,155 (20 °C)

octanol/water pH: 7

Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics:

Partition coefficient: n- : log Pow: 3,03 - 4,73 (20 °C)

octanol/water pH: 7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : Materials and all related packaging must be disposed of in a

safe way in accordance with the full requirements of the local,

regional, national and international authorities.

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recy-

cling.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Waste Code : used product

080111\*, waste paint and varnish containing organic solvents

or other dangerous substances

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN : UN 1263
ADR : UN 1263
RID : UN 1263
IMDG : UN 1263
IATA : UN 1263

## 14.2 UN proper shipping name

ADN : PAINT RELATED MATERIAL
ADR : PAINT RELATED MATERIAL
RID : PAINT RELATED MATERIAL
IMDG : PAINT RELATED MATERIAL

(Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics)

IATA : Paint related material

## 14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 3
ADR : 3
RID : 3
IMDG : 3
IATA : 3

## 14.4 Packing group

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

**ADR** 

Packing group : III
Classification Code : F1
Hazard Identification Number : 30

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Labels : 3

Tunnel restriction code : (D/E)

**RID** 

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

**IMDG** 

Packing group : III Labels : 3

EmS Code : F-E, <u>S-E</u>

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen- : 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).

Conditions of restriction for the following entries should be considered: Number on list 3

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener-

ated.

None

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Fire Hazard Class 3: flammable liquids of hazard category 3 (flammable)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

E2 **ENVIRONMENTAL HAZARDS** 

P5c FLAMMABLE LIQUIDS

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a)

to (d)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Water hazard class (Germa-

ny)

: WGK 2 obviously hazardous to water

Classification according to AwSV, Annex 1 (5.2)

: M-VM04 Special thinners

Volatile organic compounds : Volatile organic compounds (VOC) content: 100 %

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

Not applicable

Volatile organic compounds : Directive 2004/42/EC

< 100 % < 870 g/l

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

## **Full text of H-Statements**

H225 : Highly flammable liquid and vapor. H226 : Flammable liquid and vapor.

H304 : May be fatal if swallowed and enters airways.

H312 : Harmful in contact with skin.
H315 : Causes skin irritation.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.
H336 : May cause drowsiness or dizziness.
H351 : Suspected of causing cancer.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H411 : Toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

**VERDÜNNUNG 202** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Carc. : Carcinogenicity Eye Irrit. : Eye irritation Flam. Liq. : Flammable liquids Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

AT OEL : Austria. Limit values regulation - Annex I: Substance list VGÜ2014 : Austria. Regulation on health surveillance in the workplace

2014

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit AT OEL / MAK-TMW : Time Weighted Average AT OEL / MAK-KZW : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; RMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboloratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - Lethal Concentration to 50 % of a test population; LD50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observed (Adverse) Effect Level; NOELR - No Observed (Adverse)

#### **Further information**

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AT / EN

## **VERDÜNNUNG 202**

Version Revision Date: SDS Number: Date of last issue: -

1.0 24.08.2023 6021915 Date of first issue: 24.08.2023

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

#### Classification of the mixture:

#### Classification procedure:

Flam. Liq. 3	H226	Based on product data or assessment
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H336	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

AT / EN